

Orbit

Journal of the Radio Amateur Space Program

No. 14

May/June 1983
\$2.00 U.S.A./Canada



ANNEE MONDIALE DES
COMMUNICATIONS
WORLD COMMUNICATIONS
YEAR
AÑO MUNDIAL DE LAS
COMUNICACIONES



1983

Published by AMSAT — The Radio Amateur Satellite Corporation

ICOM UHF

Above and Beyond the Competition



IC-435

UHF MOBILE
2 Channel / 35 Watts

ICOM brings you the IC-435...a 35 watt, 100% duty cycle, 2 channel, synthesized UHF mobile transceiver in an incredibly compact package.

The IC-435 covers 450 - 470 MHz in two 10 MHz ranges. It features a noise cancelling microphone, 2.5 or 5 KHz diode programmable steps, multiple tone encoder (optional), LED channel readout, an advanced preset squelch design, and 5 watts of receiver audio.

All of these features come in a slim package that is only 2"H x 6-9/16"W x 11"D and...the front control panel can be remote mounted.

Other optional signalling features and/or a smart compatible version are available.

For more details contact ICOM America, Inc. or your local ICOM dealer.

IC-U12

UHF HANDHELD
12 Channel / 3 Watts

As a companion to the IC-435 or as a stand alone UHF transceiver, the IC-U12 is the perfect handheld. Available in 450 - 460 or 460-470 MHz versions, the IC-U12 is the smallest, most compact 12 channel UHF handheld anywhere.

The U12 features synthesized programming of standard and splinter channels (power adjustable to 2 watts), diode programming, and a heavy duty CM5 quick (1.5 hr) charge battery pack. The CM30 drop-in charger is required.

The IC-U12 is rugged, reliable, and is built using ICOM's proven handheld design. Included with the U12 is a rechargeable battery, a flexible antenna, and a belt clip. Interchangeable accessories, signalling options and slide-on battery packs complement the ICOM handheld line and are compatible with both UHF and VHF models.



Business Band Radio Division
3331 Towerwood Drive, Suite 307, Dallas, TX 75234, (214) 620-2780
Corporate Office/Sales & Service Center
2112--116th Avenue NE, Bellevue, WA 98004, (206) 454-8155

**With ICOM, the business
at hand is quality.**



May/June 1983
Volume 4 Number 3

ORBIT Staff

Editor in Chief: V. Riportella, WA2LQQ
Assoc. Tech. Ed.: Dom Mallozzi, N1DM
Assoc. Editor: Harold Winard, KB2M
Asst. Editor: Bob Ruedisueli, W4OWA
Managing Editor: Bob Myers, W1XT
Advertising Dir.: Roger Soderman, KW2U

AMSAT Board of Directors

John Browning W6SP (Chairman), Tom Clark W3IWI, Rich Zwirko K1HTV, Jan King W3GEY, Pat Gowen G3IOR, Harry Yoneda JA1ANG, John Henry VE2VQ

AMSAT Officers

President: Tom Clark, W3IWI
Exec. Vice Pres.: V. Riportella, WA2LQQ
Sr. Vice Pres.: J. Champa, K8OCL
V. P., Engineering: Jan King, W3GEY
V. P., Operations: Rich Zwirko, K1HTV
V. P. Special Projects: Bill Brown K9LF
Asst. V. P., Eng. (Spacecraft):
D. Connors, KD2S
Asst. V. P., Eng. (System Analysis):
Phil Karn, KA9Q
Asst. V. P., Eng. (R&D):
S. Robinson, W2FPY
Asst. V. P., Ops. (S/C Ops):
D. Loughmiller, KO5I
Asst. V. P., Ops. (User Services):
Ralph Wallio, W0RPK
Treasurer: Roy Rosner, K4YV

Headquarters Office Staff

General Manager/Exec. Director:
William Lazzaro, N2CF
Office Manager: Martha Saragovitz

Editorial Office: P.O. Box 177,
Warwick, NY 10990

Advertising Office: 221 Long Swamp
Road, Wolcott, CT 06716

AMSAT: P.O. Box 27, Wash., DC 20044.
Telephone: 301 589-6062
Telex: 248-566

Second Class postage paid at Waterbury,
Conn. by ORBIT, 221 Long Swamp Road,
Wolcott, Connecticut 06716.

ORBIT (USPS 041-850) is published six
times per year for \$10. (inseparable from
membership dues of \$24).

Copyright © 1983 by AMSAT. Contents
may be reproduced without specific per-
mission provided proper credit is given,
unless otherwise stated and copies are
sent both to AMSAT and to the author.
Opinion expressed is not necessarily that
of AMSAT.

CONTENTS:

Technical Features:

- 4 Tracking Phase III Type Satellites with the Satellipse**
By K. J. Deskur, K2ZRO
The inventor of the famous Satellabe describes a new tracker for elliptical orbits.
- 10 The Phase III IFDEM PSK Telemetry Beacon Demodulator**
By John DuBois, W1HDX
The OSCAR 10 Command Chief describes the circuit and function to extract data and clock information from the PSK signals.
- 13. AMS-81 Project Status**
By Ralph Wallio, W0RPK
A simple and inexpensive way to automate your AO-10 tracking chores is explained by the Project Manager.
- 16. AO-10 Ground Station Analysis**
By Hasan Schiers, N0AN
Ever wonder how to calculate the noise figure of your system? Noise Temperature? Here's how to go about it.


Informational Topics:

- 20 Big is Better in Antennas**
By WA2LQQ, KB2M, and N4QQ
A photo essay describes AMSAT Amateurs and Scientists using super antennas to bring EME to hundreds!.
- 32 AO-10, The First Two Weeks** By Vern Riportella, WA2LQQ
A reprint of the early days of OSCAR 10 as reviewed in Amateur Satellite Report.

Departments:

- 3 Ellipsis . . .** By Harold Winard, KB2M
- 9 Letters**
- 28 AMSAT News**
- 35 Satellite Log** By Geoffrey Falworth
- 24 Worldwide Satellite Activity** By Pat Gowen, G3IOR
- 27 W6 Space Philosopher** By John Browning, W6SP
- 26 Around the World** By Kaz Deskur, K2ZRO

Our Cover: Taken just a few seconds after ignition, this ESA supplied print shows the power and beauty of the Ariane L6 launch with ECS-1 and AMSAT-OSCAR 10 aboard.



ECS-1 atop the SYLDA with Phase III B inside. The fairing bearing the logos is about to enshroud the payload.

Comets

New AMSAT T-Shirts!

You'll be *looking good* and *feeling proud* in your new "AMSAT . . . Future Now" T-Shirt. Celebrate the launch of OSCAR 10 and a future of great operating for only \$7.50 donation. Sizes: small, medium, large, and ex-large. Please specify. Send to AMSAT Headquarters, Post Office Box 27, Washington, DC 20044. Supplies are limited.



Ellipsis...

An Editorial by Harold Winard, KB2M*

Dawn of a New Day

If you were one of the many thousands of radio amateurs who listened to the live coverage of the AMSAT-OSCAR 10 launch, you may well have experienced the same emotions we did when word came from the launch facility in French Guiana: "Event 13" was nominal. Event 13 was the separation of AMSAT-OSCAR 10 from the Ariane launch vehicle and was, as satellite aficionados like to think of it, the birth of a new earth satellite.

Was it thrilling? Most certainly. Was it exciting? After the long wait, almost 37 months since the loss of Phase IIIA, it was more than exciting. It was downright exhilarating. This was no ordinary OSCAR (if I can take the liberty of calling any OSCAR launch "ordinary"), this was Phase III, the dawn of a very new day for amateur radio.

Not since radio amateurs proved that frequencies far above 1.8 MHz would support very long distance communication has the amateur radio world had so potent a symbol. As it loops its way from apogee to perigee and back, AMSAT-OSCAR 10 proves that radio amateurs have finally removed themselves from the vagaries of the ionosphere. Long distance communication — reliable communication, both voice and data — is now possible for hours at a time. An observer perched on one of AO-10's antennas would, at some apogees, view areas enveloping some 80% of all the world's amateurs.

But we said that AO-10 is a symbol; it is not yet a tool. And a tool it must certainly become if all the hours, days, and years of dedicated work will be rewarded. Use of the satellite by the world's radio amateurs will bring a plentiful return on the investments so carefully made these past seven years or so. Indeed, as more and more radio amateurs join the ranks of satellite users, the greater will be the return and the more powerful AO-10 will become as both a tool and a symbol of amateur radio.

But active involvement in the Amateur Space program requires a commitment to its future. That's a word many of us dread — *commitment*. For some it means serving on some committee that gobbles up too much of our spare time. For others it means some financial obligation that siphons away the money we could use on some more immediate pleasure; a new low-band rig perhaps.

Commitment need not be a dirty word, however. It doesn't have to separate us from our interests in life. A commitment to the amateur space program brings with

it a host of rewards for the individual amateur. And these benefits can become all the more enjoyable because they serve others as well. Let's illustrate.

As a participant in amateur space activities, as a user of amateur radio satellites, especially AO-10, as a contributor to publications such as *Orbit*, and as a member of AMSAT, the amateur advances the ideals of amateur radio. Moreover, the opportunities for using a satellite productively have increased manifold with the launch of AO-10; satellite technology has been pushed forward too. AO-10 virtually bursts with public service potential, we believe!

As the individual amateur becomes familiar with AO-10, he or she will find features that have not been experienced before. Because of its lengthy access times, AO-10 will be a convenient meeting place for nets, both public service and special interest. Also, the satellite has superb capabilities for transmission of data; perhaps detailed medical information for a doctor struggling with a life-or-death case deep in the African bush. Or how about errorless Amateur Radio Bulletins, delivered and printed quickly. Perhaps a radiogram sent through AO-10 will bring words of comfort to anxious relatives from a disaster-struck village overseas. All that has made amateur radio a shining example of what public service means can be enhanced by the new OSCAR.

Does traffic-handling sound new to you? Or is public service a new concept? Of course not. Many relish the opportunity to help in these ways and many others participate in classes to bring young people in touch with our hobby and public service activities. Those too are an important part of AO-10's future because the bird will inspire and educate all of us, but especially the young people who will look up, marvel, and contemplate all that Space holds in store for us.

What does this have to do with personal commitment? Plenty. It means we can continue to pursue our hobby and public service as in the past but with some new and satisfying twists. By our productive use of AO-10, by doing those very things that we find most enjoyable about amateur radio, we will be affirming our continued support for the amateur space program and its future. Use and enjoy the satellite, and show the world that amateur radio satellites are here to stay. By our productive use of the satellite and all its advanced features we can commit ourselves to the great adventure started more than 20 years ago by OSCAR 1.

Tracking Phase III Type Satellites with the *Satellipse*

By K. J. Deskur, K2ZRO

The inventor of the famous Satellabe describes a new tracker for elliptical orbits.

A simple tracking aid, similar to the OSCAR locators familiar to Phase II users, will help Phase III users keep track of Amateur Radio's newest satellite — AMSAT-OSCAR 10. The device determines the position of the satellite with respect to the user's location in terms of azimuth and elevation as a function of real time.

During the past decade, many articles have been published on the subject of tracking aids, especially for application to Phase II satellites traveling in nearly circular orbits; the OSCAR and RS series for example. The usual tracking methods ranged from sophisticated, computer-generated tables and graphics to simple "dead reckoning" instructions. But probably the most popular tracking devices were the Satellabe, the OSCAR Locator, and W2GFF's OSCAR Plotter, simply because they were easy to construct and use and were sufficiently accurate for most practical purposes.

A similar tracking plotter can track Phase III satellites traveling in elliptical orbits and is equally easy to use by those familiar with the fundamentals of this method of satellite tracking.

Briefly, the satellite tracking plotter consists of three parts.

1. A polar projection map of the earth (or a polar graph) called the plotting board.
2. A normalized rotary ground-track/slider, pivoted at the pole with time-marks distributed along its length. If the origin of the track (as indicated by a cursor) is positioned on the longitude of an established reference point for the desired orbit (i.e. the equatorial crossing), the track will trace the path of the subsatellite points during the orbit in terms of the time-into-orbit beginning at the moment the satellite passed that orbital reference point.

3. The overlay consisting of a family or range-circles that are centered on the location of the tracking station. Each circle represents the locus of points equidistant from the station. The overlay, which is also divided into azimuth sectors, helps determine the bearing and elevation of the satellite with respect to the tracking station. It also helps estimate the duration of periods when the satellite is within communications range.

Although the tracking plotter for both Phase II and III are identical in principle, there are some structural differences between them.

The Plotting Board

A typical polar projection map for a Phase II plotter is usually extended no further than 30° beyond the equator. However, since the communications range of Phase III satellites covers almost an entire hemisphere, the map covers an area extending 50° to 60° beyond the equator (i.e. the Northern projection map should include the area up to -60° latitude — south).

The Earth Track

Because circular-orbit satellites orbit at nearly constant altitude and uniform velocity, the Phase II earth track looks like a bow that is partitioned with uniformly spaced time-marks.

The shape of the earth-track of an elliptical-orbit satellite is much more complex. It may be shaped like a hairpin, a resonance curve, or it may contain loops (Fig. 1). The shape of the track depends on the orbital parameters including the period, altitude at apogee and perigee, eccentricity of the orbit, angle of inclination, and the argument of perigee. Unless the inclination of the orbit is very close to 63.4° , the last parameter changes slightly with each consecutive pass. That in turn