

# Orbit

Journal of the Radio Amateur Space Program

No. 16

November/December 1983  
\$2.50 U.S.A./Canada

ANNEE MONDIALE DES  
COMMUNICATIONS  
WORLD COMMUNICATIONS  
YEAR  
AÑO MUNDIAL DE LAS  
COMUNICACIONES



1983

Published by AMSAT — The Radio Amateur Satellite Corporation

# Star Performers!


## ICOM's VHF/UHF Pairs for Satellite Communications

Oscar 10. Are you ready? Join the future of amateur satellite communications with ICOM's VHF and UHF transceivers. Read why ICOM is *Simplifying the Best* for satellite communications.

### IC-271A/471A Twins

This new series of VHF/UHF base stations offers a combination of features and flexibility found in no other transceiver *anywhere*. For receiving MODE B downlink, the IC-471A features a less than 0.5 microvolt 10dB quieting SSB receiver plus an optional mast-mounted GaAs FET preamplifier with a 15dB gain.

Thirty-two tunable memories keep the IC-471A ready to go on frequency and to monitor the beacon frequencies. A good noise blanker plus all-mode squelch make listening a real pleasure. 10Hz variable speed tuning, which automatically shifts to 400Hz when needed, and a low-noise PLL that locks to 10Hz makes the frequency resolution of the ICOM twins



ICOM's Stackable-Portable Twins IC-290H & IC-490A

second to none. For MODE B, the IC-471A features a 10W SSB transmitter with variable power control.

The same basic features of the IC-471A apply to the IC-271A and an optional internal pre-amplifier with front panel switch is available. The IC-271A

transmitter features 25W of transmitter power.

The IC-471A and the IC-271A both have options for computer interfacing. The ICOM BUS is brought out through an optional interface to the back of the radio. From this point, it may be routed to the ICOM computer

interface terminal mounted in a matching box that will convert the ICOM BUS to RS232C standard. Allowing computer control of both transceiver units, this capability, plus the antenna tracking programs available for Oscar 10, will make the IC-271A and 471A Twins the ultimate for computer control of your satellite operations.

### IC-290H/IC-490A Twins

ICOM's IC-290H and IC-490A mount together as a stackable, mountable pair that offers versatility, portability and satellite capability in an *incredibly small* size. These units are easily hung from your ham shack bench, taken on portable operations or used mobile.

Each features multiple tuning rates, memories, FM/SSB/CW, programmable scan and priority function, and an all-mode squelch. The IC-290H has a 25W transmitter, the IC-490A, 10W. Both of these transceivers are high quality designs by ICOM and offer all the flexibility needed for satellite operations.



IC-271A VHF Multimode  
2 Meter / 25 Watts



IC-471A UHF Multimode  
430 - 450 MHz / 10 Watts



# ICOM

## The World System

ICOM America, Inc., 2112-116th Ave NE, Bellevue, WA 98004 (206)454-8155 / 3031 Towerwood Drive, Suite 307, Dallas, TX 75254 (214)620-2780  
All stated specifications are approximate and subject to change without notice or obligation. All ICOM radios significantly exceed FCC regulations limiting spurious emissions.

**The BEST is still  
"made in U.S.A."**



# MIRAGE

**American made RF Amplifiers and Watt / SWR Meters  
of exceptional value and performance.**

• 5 year warranty • prompt U.S. service and assistance

## RF AMPLIFIERS

### 2 METERS-ALL MODE

**B23** 2W in = 30W out \$89.95  
(useable in: 100 mW-5W)

**B108** 10W in = 80W out \$179.95  
(1W = 15W, 2W = 30W) RX preamp

**B1016** 10W in = 160W out \$279.95  
(1W = 35W, 2W = 90W) RX preamp

**B3016** 30W in = 160W out \$239.95  
(useable in: 15-45W) RX preamp  
(10W = 100W)

### 220 MHz ALL MODE

**C106** 10W in = 60W out \$199.95  
(1W = 15W, 2W = 30W) RX preamp

**C1012** 10W in = 120W out \$289.95  
(2W = 45W, 5W = 90W) RX preamp

**C22** 2W in = 20W out \$89.95  
(useable in: 200mW-5W)

**RC-1 AMPLIFIER  
REMOTE CONTROL** \$24.95  
Duplicates all switches, 18' cable

## WATT / SWR METERS

- peak or average reading
  - direct SWR reading
- MP-1 (HF)** 1.8-30 MHz  
**MP-2 (VHF)** 50-200 MHz  
\$119.95

### 430-450 MHz ALL MODE

**D24** 2W in = 40W out \$199.95  
(1W = 25W)


**D1010** 10W in = 100W out  
(1W = 25W, 2W = 50W) \$319.95

Available at local dealers throughout the world.

**MIRAGE**  
COMMUNICATIONS EQUIPMENT, INC.

P.O. Box 1393, Gilroy, CA 95020 (408) 847-1857

# The Circular Advantage



For OSCAR 10 and Russian Satellite Communications

2M-14C

KLM's Circular Polarized antennas have been specifically designed to optimize OSCAR 10 and Russian satellite operation. Quality workmanship and superior design, yield virtually perfect circular patterns over the satellite operational bandwidth. Enjoy less Multi-Path Distortion, less Flutter, Fade, and better S/N Ratios, with comparable performance on transmit.

Both the 2M-14C and 435-18C sport virtually unbreakable 3/16" rod parasitic elements anchored thru the boom, folded dipole driven elements produce excellent physical and electrical symmetry for years of constant performance.

## Specifications: (2M-14C)

BANDWIDTH: .. 144-150 MHz	BOOM LENGTH: ..... 12'9"
GAIN: ..... 11 dBdc	VSWR: ..... 1.2:1
BEAMWIDTH: ..... 48°	WINDLOAD: ..... 1.25 sq. ft.
FEED IMP: ..... 50 ohm unbal.	WT. (LBS): ..... 7.5
..... 4:1, 2KW	ELLIPTICITY: ..... ± 3 dB Max.
CIRCULARITY SWITCHER: .....	INCLUDED

The 435-18C is a star performer, an optional CS-2 circularity switcher puts left, and right-hand circular control in your shack, and doubles as a two port divider/impedance transformer for single feed line convenience.



435-18C

## Specifications: (435-18C)

BANDWIDTH: .. 420-450 MHz	GAIN: ..... 12 dBdc
BOOM LENGTH: ..... 7.3 ft.	VSWR: ..... 1.5:1
BEAMWIDTH: ..... 44°	FEED IMP: ..... 50 ohm unbal.
WT. (LBS): ..... 4.5	BALUN: ..... 2-4:1, 1KW
MAST DIA: ..... Cen-Rear/1/2"	ELLIPTICITY: ..... 3dB MAX.
CIRCULARITY SWITCHER .....	(CS-2) OPTIONAL

See your local KLM dealer or write for our complete catalog

**KLM** electronics Inc.  
P.O. Box 816, Morgan Hill, CA 95037

Order All  
Ham Radios  
& Accessories  
from

**C-COMM**

We have the  
Products,  
Prices,  
and Service  
that bring you back!

 ICOM



## IC-451A

The perfect high performance UHF transceiver for satellite use. 10 watt transmitter, 10 Hz tuning, mast mounted preamp available, scanning. Use for mode B uplink and mode J downlink. Incomparable performance at an unbelievable price.

Regular \$899

**CLOSEOUT  
SPECIAL!  
\$599**

**C.  
comm**

Call Toll FREE Nationwide!  
**800-426-6528**  
(Incl. Alaska & Hawaii)

Wash. Residents: Add applicable sales tax. Call: 800-562-6818

International Orders:  
Telex: 15-2391 C-COMM

**C-COMM**

6115 15th Ave NW, Seattle, WA 98107  
(206) 784-7337



November/December 1983  
Volume 4 Number 5

**ORBIT Staff**

Editor: Harold Winard, KB2M  
Contr. Editor/Staff Liaison:  
Vern Riportella, WA2LQQ  
Assoc. Editor: Dom Mallozzi, N1DM  
Asst. Editor: Bob Ruedisueli, W4OWA  
Managing Editor: Bob Myers, W1XT  
Advertising Dir.: Roger Soderman, KW2U  
Illustrations: Norma Adamson

**AMSAT Board of Directors**

John Browning W6SP (Chairman), Tom Clark W3IWI, John Pronko W6XN, Jan King W3GEY, Pat Gowen G3IOR, Harry Yoneda JA1ANG, John Henry VE2VQ

**AMSAT Officers**

President: Tom Clark, W3IWI  
Exec. Vice Pres.: V. Riportella, WA2LQQ  
Sr. Vice Pres.: J. Champa, K8OCL  
V. P., Engineering: Jan King, W3GEY  
V. P., Operations: D. Loughmiller, KO5I  
V. P. Special Projects: Bill Brown, K9LF  
Asst. V. P., Eng.: Harold Price, NK6K  
Asst. V. P., Eng.: Phil Karn, KA9Q  
Asst. V. P., Eng.: S. Robinson, W2FPY  
Asst. V. P., Ops. (S/C Ops):  
Rick Dittmer, WH6AMX  
Asst. V. P., Ops. (User Services):  
Ralph Wallio, W0RPK  
Treasurer: Jack Colson, W3TMZ  
Corporate Secretary: Martha Saragovitz

**Headquarters Office Staff**

General Manager/Exec. Director:  
William Lazzaro, N2CF  
Office Manager: Martha Saragovitz

**Editorial Office:** P.O. Box 575,  
Wharton, NJ 07885

**Advertising Office:** 221 Long Swamp  
Road, Wolcott, CT 06716  
Phone: 201-666-2870

**AMSAT:** P.O. Box 27, Wash., DC 20044.  
Telephone: 301 589-6062  
Telex: 248-566

Second Class postage paid at Waterbury, Conn. by ORBIT, 221 Long Swamp Road, Wolcott, Connecticut 06716.

ORBIT (USPS 041-850) is published six times per year for \$15. (inseparable from membership dues of \$24).

Copyright © 1983 by AMSAT. Contents may be reproduced without specific permission provided proper credit is given, unless otherwise stated and copies are sent both to AMSAT and to the author. Opinion expressed is not necessarily that of AMSAT.

# CONTENTS:

**Technical Features:**

- 7 The Death of OSCAR-8: Tribute to an Erstwhile Friend**  
By Frank M. Wiesenmeyer, K9CIS  
*A durable symbol of the Phase II era has gone silent, but even in its death, Radio Amateurs have gained great insight into how a satellite works.*

**Informational Topics:**

- 13 A Survey of OSCAR Station Equipment**  
By Harold Winard, KB2M and Roger Soderman, KW2U  
*Building or enhancing your equipment? With some careful shopping, you can assemble a very capable station without breaking the family budget.*

**Departments:**

- 5 Ellipsis . . .** By Harold Winard, KB2M  
*Future and Present Married: Computers and Amateur Radio (Are You Ready?)*

**24 AMSAT News**

- 17 Book Review: The UHF Compendium, Part I and Part II** By Dom Mallozzi, N1DM

**19 Worldwide Satellite Activity** By Pat Gowen, G3IOR

**18 W6 Space Philosopher** By John Browning, W6SP

*Comets: Satellite Conference in Argentina, page 12; New Antenna Rotator for Sightless Amateurs, page 18; Space Symposium Attendees, page 34.*

**Our Cover:** Yoshi, JA4BLC, sports this fine looking piece of hardware. It's a 20-foot diameter dish used for 432-MHz moonbounce. For OSCAR work, JA4BLC uses a pair of seven-element Yagis for the uplink and several seven-element Yagis for the downlink. Yoshi is mentioned in this month's *Worldwide Satellite Activity* by G3IOR beginning on page 19.

*These Advertisers supported this issue of ORBIT. Please give them your support.*

Advanced Receiver Research	30	KJI Electronics	17
Angle Linear	17	KLM Electronics	2
ARRL	34, 35	Lunar Electronics	16
C-Comm	4	Mirage Communications	1
Cushcraft	4	Spectrum International	22
Electronic Equipment Bank	30	T. E. Systems	32
Encomm	6	Texas Towers	23
Ham Shack, The	30	Unadilla/Reyco/Inline	30
Henry Radio	36	73 Magazine	
ICOM	Cover II	VHF Shop, The	32
Kenwood Communications	Cover IV	Yaesu Electronics	Cover III