



Orbit

The Journal of the Radio Amateur Space Program

No. 5

January/February 1981

\$2.00 U.S.A./Canada

R2,00 South Africa

*Commemorating the
20th Anniversary of
The Radio Amateur
Space Program.*

Published by AMSAT — The Radio Amateur Satellite Corporation

OSCAR AND IC451A (The Perfect Couple)

ICOM presents a multifunction multimode base station transceiver for use either as part of an OSCAR satellite link on mode B or J, or for use with your favorite 440MHz FM repeater. The IC451A incorporates features customers ask for most:

- ☐ 3 Memories with Memory Scan.
- ☐ Programmable Band Scan.
- ☐ Squelch on SSB! Silent Receive when no signal is present.

☐ Variable Repeater Split.

Imagine programming 2 of your favorite SSB QSO frequencies as well as the OSCAR 8 mode J downlink beacon into memory, and silently scanning these frequencies while working other bands in your shack.

The IC451A may be ordered from your authorized ICOM Dealer in either 430-439.9999MHz or 440-449.9999MHz models.



ICOM COMMUNICATIONS, INC. TEL: 214-343-1111 FAX: 214-343-1112



2112 41st Rd. Bellevue, WA 98004
5321 Townwood Drive, Dallas, TX 75234

ICOM is a registered trademark of ICOM Corporation. All other trademarks are the property of their respective owners. © 1988 ICOM Corporation. All rights reserved.



January/February 1981
Volume 2 Number 1

ORBIT Staff

Editor: Joe Kasser, G3ZCZ
Managing Editor: Bob Myers, W1XT

Editorial Committee

Greg Roberts ZS1BI,* Joe Kasser G3ZCZ, Harry Yoneda JA1ANG, Alex Schoening DC7AS, Niko Janssen PA0DLO, Ross Biggar ZL1WN, Ralf Hucke CE6EZ, Domenico Marini I8CVS, John Pronko W6XN, Steve Place, WB1EYI, Will Webster WB2TNC, Larry Roberts W9MXC, Ron Broadbent G3AAJ

AMSAT Board of Directors

John Browning W6SP,* Tom Clark W3IWI, Rich Zwirko K1HTV, Jan King W3GEY, Pat Gowen, G3IOR, Will Webster WB2TNC, Harry Yoneda JA1ANG

*Chairman

AMSAT Officers

President: Tom Clark, W3IWI
Executive Vice President:
Vern Riportella, WA2LQQ
Vice President Engineering:
Jan King, W3GEY
Vice President Operations:
Rich Zwirko, K1HTV
Vice President Special Projects:
Bill Brown K9LF
Office Manager: Martha Saragovitz
Treasurer: Roy Rosner, K4YV

Editorial Office: 850 Sligo Ave.,
Silver Spring, MD 20910.
Telephone: 301 589-6062

Advertising Office: 221 Long Swamp
Road, Wolcott, CT 06716
Telephone: 203 879-1869

AMSAT: P.O. Box 27, Washington, DC
20044.
Telephone: 301 589-6062
Telex: 248-566

Repeater: 146.235/835 MHz

Our Cover: see page 7

Second Class postage paid at Waterbury, Conn. by ORBIT, 221 Long Swamp Road, Wolcott, Connecticut 06716.

ORBIT (USPS 041-850) is published six times per year for \$10.(inseparable from membership dues of \$16).

Copyright © 1981 by AMSAT. Contents may be reproduced without specific permission provided proper credit is given, unless otherwise stated. Opinion expressed is not necessarily that of AMSAT.

Contents:

Technical Features:

- 8 **The Chopstick Helical** By Colin Richards, 9M2CR
A high-gain antenna for satellite work can be constructed with wooden supports -- in this case chopsticks.
- 10 **The Phase-III IFDEM PSK Telemetry Beacon Demodulator**
By John DuBois, W1HDX
Part I of this informative and timely topic describes the purpose and the need for a sophisticated demodulator to be used to receive the Phase-III telemetry.
- 17 **The AMSAT-GOLEM 80 Project** By Joe Kasser, G3ZCZ
A computer is needed for telemetry tracking and command station operations. G3ZCZ presents a system update.

Informational Topics:

- 4 **Amateur Radio Satellite Experiments in the Pre-OSCAR Era**
By Ray Soifer, W2RS
Part I of a history of Radio Amateurs in Space details the early years of activity by some now-familiar Amateurs.
- 13 **The ARSENE Project**
An experimental telecommunications satellite program for education and training is proposed.
- 30 **"On the Question of Satellite DXCC..."** By Vern Riportella, WA2LQQ
Phase III Satellite operations should not include DXCC activity, at least not immediately after launch. WA2LQQ outlines the logic of that decision.

Departments:

- 3 **OFF THE PAD: The Third Decade** By Joe Kasser, G3ZCZ
- 16 **Orbital Predictions: January through April** By Project OSCAR
- 22 **Around the World** By Kaz J. Deskur K2ZRO
- 23 **Letters**
- 24 **E.M.E. News** By Al Katz, K2UYH
- 26 **Worldwide Satellite Activity** By Pat Gowen, G3IOR
- 27 **Satellite Log** By Geoffrey Falworth
- 28 **AMSAT News**

SATELLITES & 73

For the most informative articles
on satellites... turn to

73 MAGAZINE

73 Magazine has more articles on satellites than any other ham magazine. A sampling of articles from the past shows why 73 has the leading edge:

*The Satellite TV Primer — thousands watch satellite TV every day... here's how they do it and what they see

*Here's a "TWIST" — an OSCAR antenna with a difference.

*Low-Cost Receiver for Satellite TV — this modular design uses readily available technology.

*The Europa-B Two Meter Transverter — work OSCAR 2m \$5B with this British import.

Plus 73 has two monthly features devoted to the satellite enthusiast:

*OSCAR Orbits — a listing of OSCAR's orbital dates

*Keep up with the organization's monthly news

... for amateur magazine pays this
... attention to satellites!
... magazine, so if you're interested in
... should be interested in a year's subscrip-
... gazine.

YES! 73

1 yr/\$25.00 2 yrs/\$38.00 3 yrs/\$53.00
 Bill Me

Name _____

Address _____

City _____ State _____ Zip _____


70NBE

Canadian 1 yr only. US funds/\$27.00

Foreign 1 yr only. US funds/\$35.00

Please allow 4-6 weeks for delivery.


73 Magazine • PO Box 931 • Farmingdale NY 11737



OFF THE PAD

The Third Decade

By Joe Kasser, G3ZCZ*



Twenty years ago Radio Amateurs thrilled to the announcement of an Orbiting Satellite Carrying Amateur Radio. OSCAR 1 launched on December 12, 1961, with the Discoverer 36 spacecraft, was designed and built by a group of Radio Amateurs in the San Francisco Bay area banded together as Project OSCAR, Inc. OSCAR 1 contained a battery powered beacon transmitter and radiated the Morse greeting, HI, HI on a frequency of 145 MHz until its batteries were exhausted. It weighed about 10 pounds and cost about \$65.00 to build.

OSCAR 1 was the first of the Phase I series of spacecraft that demonstrated that Radio Amateurs could design and build working communications satellites. In the first decade Radio Amateurs put into operation the world's first multiple free-access communications satellite (OSCAR 3) and made the first direct satellite contacts between the USSR and the USA (via OSCAR 4).

The Radio Amateur Satellite Corporation (AMSAT) brought the Amateur Satellite Service into its second decade. Founded in 1969 in the Washington, DC area, AMSAT's first task was to put into orbit a satellite designed and built at Melbourne University in Australia. This spacecraft, the last of the Phase I series, known to history as AUSTRALIS-OSCAR 5, was the first Amateur built spacecraft capable of responding to ground commands. The AMSAT Phase II satellite program provided and continues to provide long life communications satellites in low-polar orbits. AMSAT-OSCAR's 6, 7 and 8 enabled many Radio Amateurs to expand their vhf/uhf horizons and affords a glimpse of the capability of an operational Radio Amateur Satellite Communications Network.

During the latter half of the second decade, planning and construction of a Phase III communications satellite was completed. The objectives of the Phase III program are to launch the operational era of the Amateur Satellite Service by providing global satellite coverage to at least 90 percent of the world's Radio Amateurs for many hours each day *using just one spacecraft*.

As we all know, the Phase III era was stillborn on May 23, 1980 when the Amateur Satellite Service suffered its first loss as the Ariane L02 rocket exploded seconds after leaving the pad. Phase III however still has a date with destiny as ESA has agreed to carry the Phase IIIB spacecraft aboard the Ariane L7 flight presently scheduled for February 24, 1982. This satellite, while being the first to show Radio Amateurs the capability of an operational worldwide communications satellite, is still far from the ideal of providing global coverage to everybody for 24 hours a day, and thus even though Phase IIIB is yet to fly, it is now time to start thinking about Phase IV.

Phase IV could provide global coverage to everybody 24 hours a day if the single satellite requirement is changed. If SYNCART packages are placed on three host space platforms in geosynchronous orbit, any Radio Amateur within line of sight of such a platform would be able to work anyone else who also is able to see the same platform. Each platform can see (and thus work) one third of the globe. Any lucky Radio Amateur able to see two such SYNCART's would be able to work two thirds of the globe directly. Consider for example three platforms located in geosynchronous orbits above longitudes 75°E (Indian Ocean), 200°E (Pacific Ocean) and 330°E (Atlantic Ocean) (See Fig. 1 on page 6 of *ORBIT* Number 1). With such a system, Europe and most of Africa can work both the Atlantic and Indian Ocean SYNCART's, Japan can work the Indian and Pacific Ocean ones while much of the USA can work both the Pacific and Atlantic Payloads. This scheme gives everybody communications capability over at least one third of the world, possibly more for 24 hours a day with 100 percent reliability. A quick glance at the world map shows that if these SYNCART packages are interlinked, full global coverage is provided to each and every Radio Amateur using at the most one interlink. Thus India could work California by means of the Indian-Pacific SYNCART link. That same station in India would talk to New York via the Indian-Atlantic SYNCART link. The interlink capability would be provided by a ground transponder that would be situated in a location that can see two platforms at the same time. The actual location of the ground segment of the communications link will of course depend on the locations of the SYNCART's (space segment) and that will depend on the host platform.

As the required bandwidth is not available below 435 MHz, Phase IV will probably carry a Mode M transponder initially. The uplink will be about 1269 MHz, the downlink at 436 MHz. Each SYNCART will contain the equivalent of three Phase III passbands as shown in Fig. 1, separated by, and associated with guard band areas. At the center of the space segment is a passband designated for in-zone working. This passband is used by any station within range of a SYNCART to work any other one within range of the same SYNCART. At the low frequency end of the central pass-

(Continued on page 12)